

Industrial Display Monitor

8" Color TFT Industrial Display Monitor

ADP-1080

Features

- 8" TFT SVGA LCD
- 800 x 600 (native mode), 400 cd/m²
- Front Panel NEMA 4/IP 65 rating
- Resistive touch screen (anti-glare)
- Backlight life of 40,000 hours
- OSD control
- Viewing Angle: 130 (H), 100 degrees(V)
- DC 11~28V wide-range power input
- Support Panel / VESA 75 mount

Display Specifications

Display	8" Color Active TFT Flat Panel Display
Luminance	400 cd/m ²
Viewing Angle	130/100 (H/V)
Resolutions	800 x 600 (native mode), 262K colors
Backlight	40,000hrs
Touch Screen	Resistive Antiglare
OSD Controls/Indicators	Automatic Screen, Setup (OSD), Brightness, Contrast, Horizontal/Vertical Position, Image Lock, Color Balance, Video Information, Power On and Sync Detection
Power Input	DC 11~28V

Mechanical Specifications

Construction	Plastic Housing, Sealed Touch Screen
Dimensions	230(W) x 175(H) x 55(D)mm
Mounting	Panel / VESA 75 mount

Environment Specifications

Operating Temperature	0~50°C (32~122°F)
Storage Temperature	-20~60°C (-4~140°F)
Relative Humidity	10~90% @40°C Non-condensing, without touch screen
Vibration	1G peak, 5~500 Hz (Random)
Shock	15G peak acceleration (11 msec. duration)
Ratings	NEMA 4/IP 65
Certifications	CE and FCC class A

Dimensions

